



2024 PRODUCT CATALOGUE

PRODUCT CATALOGUE 2024



GARDEN TECHNICAL LIGHTS

中山市奥克莱灯饰有限公司  
OKELI LIGHTING CO.,LTD

Factory Address  
No.36 ChangAn North Road,Henglan Town,  
Zhongshan City,Guangdong,China

Website  
www.okelilamp.com

Mailbox  
okeli@neworb.cn

Service Hotline  
0086-760-87619872



35000 m<sup>2</sup>

Industrial Parks

5 Years  
WARRANTY

13 Years  
Lighting Product  
Production Experience

2600 m<sup>2</sup>  
Product Showroom

25 Years  
Exclusive lighting sales  
and service

150000 pcs  
Capacity per month

10 lines  
Number of assembly line

500  
Numeber of total employee

105  
Product Series

## We are OKELI



*Modem*

*Innovation*

*Smart*

*Eco-friendly*

*Cost-effedtive*

OKELI Lighting Co.,Ltd., established in 2010, is one of the large lighting enterprises, integrated with design, research, manufacturing and marketing.



## *High quality dust-free production workshop*



## *In-house manufacturing*


Our manufacturing plant covers an area over 35000 m<sup>2</sup>, with the completed manufacturing chain from raw material to finished product. We have a high quality dust-free production workshop, strict control of product quality and production process. We've built up international top standard laboratory to assure technical study and innovation.

With continuously growing, our products are mostly appreciated by global buyers, and "OKELI" brand has been expanded rapidly all over the world.

## *LED technology*



LED aging line



LED packaging line



The LED assembly line

Since 2010, OKELI has been a reliable supplier of LED luminaries, prioritizing top-notch production quality. The commitment to excellence starts with a meticulous spectroscopic analysis of incoming LED components. The production process utilizes optimized assembly lines for PCB assembly and high-end ESD assembling areas. Rigorous testing of the final product ensures the achievement of the highest manufacturing standards. OKELI is dedicated to delivering perfectly developed and flawlessly manufactured luminaries



# Products



*A wide range of led lighting products cover both residential and commercial lighting field.*




We are capable to provide big producing capacity; We are strictly following ISO9001 management system, and with strict ISO9001 quality control system and CE/CB/ROHS/SAA/VDE/BIS certified products, we can meet all clients' customization requirements. We've built up international top standard laboratory to assure technical study and innovation, and our global design team with strong technical capacity and rich experience are capable to fulfill both OEM and ODM requirement from our customers, and we've kept gaining many patents and intellectual property rights.

# Team service





# LED WALL LIGHT



**UT-33-02601**  
PAGE.09



**UT-33-02701**  
PAGE.11



**UT-33-03001**  
PAGE.13



**UT-33-03101**  
PAGE.14



**UT-33-03201**  
PAGE.15



**UT-33-03301**  
PAGE.17



**UT-33-03401**  
PAGE.18



**UT-33-03501**  
PAGE.19



**UT-33-03601**  
PAGE.20



**UT-33-04101**  
PAGE.21



**UT-33-04701**  
PAGE.22



**UT-33-06001**  
PAGE.23



**UT-33-06301**  
PAGE.24



**UT-33-06401**  
PAGE.25



**UT-33-06501**  
PAGE.26



**UT-33-06801**  
PAGE.27

# LED WALL LIGHT



**UT-33-06802**  
PAGE.28



**UT-33-06901**  
PAGE.29



**UT-33-07101**  
PAGE.31



**UT-33-07201**  
PAGE.33



**UT-33-07301**  
PAGE.34



**UT-33-07401**  
PAGE.35



**UT-33-07901**  
PAGE.36




**UT-33-08001**  
PAGE.37



**UT-33-08101**  
PAGE.38



**UT-33-08201**  
PAGE.39



**UT-33-08301**  
PAGE.40



**UT-33-08401**  
PAGE.41




**UT-33-08701**  
PAGE.42



**UT-33-08801**  
PAGE.43



**UT-33-09001**  
PAGE.44



**UT-33-09101**  
PAGE.45






## LED WALL LIGHT



**UT-33-09201**  
PAGE.46




**UT-33-09301**  
PAGE.47



**UT-33-09401**  
PAGE.48



**UT-33-09501**  
PAGE.49



**UT-33-09601**  
PAGE.51

## LED BOLLARD LIGHT



**UT-34-01701**  
PAGE.53



**UT-34-01801**  
PAGE.54



**UT-34-01901**  
PAGE.55



**UT-34-02201**  
PAGE.56

## LED BOLLARD LIGHT



**UT-34-02301**  
PAGE.57



**UT-34-02401**  
PAGE.58



**UT-34-02501**  
PAGE.59



**UT-34-02601**  
PAGE.60



**UT-34-02701**  
PAGE.61



**UT-34-02801**  
PAGE.62



**UT-34-02901**  
PAGE.63



**UT-34-03001**  
PAGE.64



**UT-34-03101**  
PAGE.65



**UT-34-03201**  
PAGE.66



**UT-34-03301**  
PAGE.67



**UT-34-03401**  
PAGE.68



## LED BOLLARD LIGHT



**UT-34-03501**  
PAGE.69



**UT-34-08101**  
PAGE.70



**UT-34-08001**  
PAGE.71



**UT-34-08401**  
PAGE.73



**UT-34-08501**  
PAGE.75



**UT-34-08801**  
PAGE.77



**UT-34-09001**  
PAGE.79



**UT-34-09101**  
PAGE.81



**UT-34-03501**  
PAGE.83



**UT-34-08201**  
PAGE.84



**UT-36-00101**  
PAGE.85



**UT-36-00201**  
PAGE.86

## LED BOLLARD LIGHT




**UT-36-00301**  
PAGE.87

## LED FOOT LIGHT



**UT-31-00801**  
PAGE.88



**UT-31-00801**  
PAGE.89



**UT-31-00901**  
PAGE.90



**UT-31-01001**  
PAGE.91



**UT-31-01201**  
PAGE.92



**UT-31-01301**  
PAGE.93



**UT-31-01401**  
PAGE.94



**UT-31-01501**  
PAGE.95



## LED FOOT LIGHT



UT-31-01801  
PAGE.96

## LED CEILING LIGHT



UT-32-00501  
PAGE.98



UT-32-00601  
PAGE.99



## LED WALL LIGHT



GARDEN TECHNIC

Cooperative brand:



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-02601**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver




Model	UT-33-02601
Wattage	LED 10W
Lumen	800lm
IP	54
Materials	Aluminum+pc
Dimension(mm)	Ø150*50mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-02701**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver




Model	UT-33-02701
Wattage	LED 10W
Lumen	480lm
IP	54
Materials	Aluminum+pc
Dimension(mm)	150*150*50mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-03001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-03001
Wattage	LED 2*6W
Lumen	960lm
IP	54
Materials	Aluminum+pc
Dimension(mm)	140*140*128mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-03101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-03101
Wattage	LED 5W
Lumen	400lm
IP	54
Materials	Aluminum+glass
Dimension(mm)	80*70*95mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-03201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver




Model	UT-33-03201
Wattage	LED 2*5W
Lumen	800lm
IP	54
Materials	Aluminum+glass
Dimension(mm)	80*70*150mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance



**LED WALL LIGHT**

CE CB RoHS   **BIS**



**UT-33-03301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-03301
Wattage	LED 5W
Lumen	400lm
IP	54
Materials	Aluminum+glass
Dimension(mm)	80*70*95mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   **BIS**



**UT-33-03401**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-0 3401
Wattage	LED 2*5W
Lumen	800lm
IP	54
Materials	Aluminum+glass
Dimension(mm)	80*70*150mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-03501**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-03501
Wattage	LED 12W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	169*219*55mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-03601**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-03601
Wattage	LED 12W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	240*120*45mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-04101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-04101
Wattage	LED 12W
Lumen	800lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	90*83*178mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-04701**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-04701
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	265*100*170mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS




**UT-33-06001**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06001
Wattage	LED 12W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	160*150*150mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-06301**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06301
Wattage	LED 18W
Lumen	1440lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	195*160*145mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-06401**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06401
Wattage	LED 18W
Lumen	1440lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	195*160*145mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-06501**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06501
Wattage	LED 8W
Lumen	800lm
IP	54
Materials	Aluminum+PMMA
Dimension(mm)	173*40*150mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-06801**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06801
Wattage	LED 6W
Lumen	400lm
IP	54
Materials	Aluminum+GLASS
Dimension(mm)	121*79mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS




**UT-33-06802**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06802
Wattage	LED 20W
Lumen	1210lm
IP	65
Materials	Aluminum+glass
Dimension(mm)	228*35*114mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-06901**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver



Model	UT-33-06901	UT-33-06902	UT-33-06903
Wattage	LED 2W	LED 3W	LED 4W
Lumen	160lm	240lm	320lm
IP	54		
Materials	Aluminum+glass		
Dimension(mm)	100*10mm	120*10mm	150*10mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-07101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver




Model	UT-33-07101
Wattage	LED 24W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	300*130*145mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-07201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-07201
Wattage	LED 12W
Lumen	800lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	265*130*170mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-07301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-07301
Wattage	LED 5W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	120*120*125mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-07401**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-07401
Wattage	LED 12W
Lumen	960lm
IP	54
Materials	Aluminum+PC
Dimension(mm)	240*120*45mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-07901**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-07901
Wattage	LED 10W
Lumen	800lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	80*200*260mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-08001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-06301	UT-33-08002	UT-33-08003	UT-33-08004
Wattage	LED 8W	LED 12W	LED 20W	LED 30W
Lumen	640lm	960lm	1600lm	2400lm
IP	65			
Materials	Aluminum+glass			
Dimension(mm)	140*65*90mm	185*75*92mm	220*85*105mm	300*110*120mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-08101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-08101
Wattage	LED 20W
Lumen	1600lm
IP	65
Materials	Aluminum+glass
Dimension(mm)	270*240*210mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-08201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-08201
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	120*125*200mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-08301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



UT-33-08301



UT-33-08302

Model	UT-33-08301	UT-33-08302
Wattage	LED 12W	LED 15W
Lumen	960lm	1200lm
IP	65	65
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	30*13mm	40*13mm

**DETAILS & SCENE**



CE CB RoHS   BIS



## UT-33-08401

### Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-08401
Wattage	LED 7W
Lumen	560lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*300mm



## DETAILS & SCENE



CE CB RoHS   BIS



## LED WALL LIGHT

## UT-33-08701

### Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-33-08401
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	185*160mm



## DETAILS & SCENE





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-08801**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-08801
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	185*160mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-09001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-09001
Wattage	LED 12W
Lumen	750Lm
IP	IP65
Materials	Aluminum+PC
Dimension(mm)	145*102*H120mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-09101**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-09101	UT-33-09102
Wattage	LED 12W	LED 18W
Lumen	630lm	940lm
IP	54	54
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	D155*55mm	D220*55mm

**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-09201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-09201	UT-33-09202
Wattage	LED 12W	LED 18W
Lumen	630lm	940lm
IP	54	54
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	155*155*55mm	220*220*55mm

**DETAILS & SCENE**





**LED WALL LIGHT**

CE CB RoHS   BIS

**UT-33-09301**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver

Model	UT-33-09301
Wattage	LED 16W
Lumen	464lm
IP	IP65
Materials	Aluminum+Glass
Dimension(mm)	122*43*145mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS

**UT-33-09401**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver

Model	UT-33-09401
Wattage	LED 20W
Lumen	1620lm
IP	65
Materials	Aluminum+Glass
Dimension(mm)	162*137*36mm



**DETAILS & SCENE**



**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-09501**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver




Model	UT-33-09501
Wattage	Gu10 5W
Lumen	560lm
IP	IP65
Materials	Aluminum+Glass
Dimension(mm)	D115*97mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance





**LED WALL LIGHT**

CE CB RoHS   BIS



**UT-33-09601**

Product Description

CCT: 2700K,3000K,4000K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-33-09601
Wattage	5W
Lumen	630lm
IP	IP65
Materials	Aluminum+Glass
Dimension(mm)	D66*120mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**



Cooperative brand:



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-34-01701**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-01701	UT-34-01702
Wattage	LED 12W	LED 12W
Lumen	960lm	960lm
IP	65	65
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	100*140*500mm	100*140*800mm



UT-34-01701

UT-34-01702

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-34-01801**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-01801	UT-34-01801	UT-34-01801
Wattage	LED 8W		
Lumen	640lm		
IP	65		
Materials	Aluminum+PC		
Dimension(mm)	Φ90*700mm	Φ108*700mm	Φ145*700mm



UT-34-01801

UT-34-01802

UT-34-01803

**DETAILS & SCENE**





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-01901**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-34-01901
Wattage	LED 20W
Lumen	1600lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*68*600mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-02201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-34-02201
Wattage	LED 12W
Lumen	1400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	230*150*600mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-02301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02301
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*150*600mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-02401**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02401
Wattage	LED 12W
Lumen	720lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	122*140*600mm



**DETAILS & SCENE**





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-02501**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02501
Wattage	LED 10W
Lumen	480lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*600mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-02601**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02601
Wattage	LED 10W
Lumen	400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*150*600mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-33-06001**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02701	UT-34-02702
Wattage	LED 8W	LED 18W
Lumen	640lm	1440lm
IP	65	
Materials	Aluminum+Silica Gel	
Dimension(mm)	300*350*55mm	400*450*55mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-02801**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-02801
Wattage	LED 20W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	50*50*600mm



**DETAILS & SCENE**





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-02901**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-34-02901
Wattage	LED 10W
Lumen	800lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	163*53*600mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-03001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-34-03001
Wattage	LED 8W
Lumen	1400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	170*100*800mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-33-06001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-03101	UT-34-03102
Wattage	LED 10W	
Lumen	800lm	
IP	65	
Materials	Aluminum+glass	
Dimension(mm)	165*60*500mm	165*60*700mm



UT-34-03101

UT-34-03102

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-34-03201**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-03201
Wattage	LED 10W
Lumen	800lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	120*125*700mm



**DETAILS & SCENE**





**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-03301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-03301
Wattage	LED 20W
Lumen	1600lm
IP	65
Materials	Aluminum+glass
Dimension(mm)	200*210*800mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-03401**


Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-03401	UT-34-03402
Wattage	LED 9W	LED 18W
Lumen	640lm	1300lm
IP	54	54
Materials	Aluminum+PC+Glass	
Dimension(mm)	151*80*700mm	242*80*700mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-34-03501**


Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-03501	UT-34-03502
Wattage	LED 6W	LED 12W
Lumen	420lm	860lm
IP	54	
Materials	Aluminum+PC+Glass	
Dimension(mm)	123*65*70mm	180*65*700mm



UT-34-03501

UT-34-03502

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS **BIS**



**UT-34-08101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:   
Black Grey Silver

Model	UT-34-08101	UT-34-08102	UT-34-08103
Wattage	LED 12W	LED 20W	LED 24W
Lumen	960lm	1600lm	1920lm
IP	65		
Materials	Aluminum+Glass		
Dimension(mm)	Ø90*1050mm	Ø90*1550mm	Ø90*2100mm



UT-34-08103

UT-34-08102

UT-34-08101

**DETAILS & SCENE**





## LED BOLLARD LIGHT

CE CB RoHS   BIS



### UT-34-08001

#### Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver

Model	UT-34-08001	UT-34-08002	UT-34-08003
Wattage	LED 10W		
Lumen	800lm		
IP	65		
Materials	Aluminum+PC		
Dimension(mm)	80*200*400mm	80*200*700mm	80*200*1000mm



## DETAILS & SCENE





## LED BOLLARD LIGHT

CE CB RoHS   BIS



### UT-34-08401

#### Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver




Model	UT-34-08401
Wattage	LED 10W
Lumen	800lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	50*33*450mm


## DETAILS & SCENE



Luminous Intensity Distribution Curve



Illuminance at a Distance





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-08501**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver


Model	UT-34-08501
Wattage	LED 12W
Lumen	960lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	185*160*700mm




**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance





## LED BOLLARD LIGHT

CE CB RoHS   BIS



### UT-34-08801

#### Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver


Model	UT-34-08801	UT-34-08802	UT-34-08803
Wattage	LED 3W	LED 6W	LED 9W
Lumen	180lm	360lm	600lm
IP	65	65	65
Materials	Aluminum+PC	Aluminum+PC	Aluminum+PC
Dimension(mm)	Φ100*125mm	Φ100*228mm	Φ100*331mm




## DETAILS & SCENE



Luminous Intensity Distribution Curve



Illuminance at a Distance





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-09001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:  Black  Grey  Silver




Model	UT-34-08701
Wattage	LED 12W
Lumen	750Lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	170.5*103*H300mm


**DETAILS & SCENE**



Luminous Intensity Distribution Curve



Illuminance at a Distance



**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-09101**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-09101
Wattage	LED 5W
Lumen	560lm
IP	65
Materials	Aluminum+Glass
Dimension(mm)	D65*800mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS

**UT-34-09201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-09201
Wattage	LED 5W
Lumen	560lm
IP	65
Materials	Aluminum+Glass
Dimension(mm)	D66*600mm



**DETAILS & SCENE**





**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-34-08201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-34-08201
Wattage	LED 7W
Lumen	560lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	210*600mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-36-00101**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-36-00101
Wattage	LED 12W
Lumen	1400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	225*225*255mm



**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-36-00301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-36-00301	UT-36-00302
Wattage	LED 12W	LED 20W
Lumen	960lm	1600lm
IP	65	65
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	150*150*161mm	210*210*270mm

**DETAILS & SCENE**



**LED BOLLARD LIGHT**

CE CB RoHS   BIS



**UT-36-00201**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-36-00201
Wattage	LED 12W
Lumen	1400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	220*220*270mm

**DETAILS & SCENE**





# LED FOOT LIGHT

GARDEN TECHNIC



Cooperative brand:



## LED FOOT LIGHT

CE CB RoHS BIS




### UT-31-00501

#### Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour: Black Grey Silver



UT-31-00501



UT-31-00502

Model	UT-31-00501	UT-31-00502
Wattage	LED 6W	LED 10W
Lumen	480lm	800lm
IP	65	65
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	180*60*50mm	270*65*90mm

## DETAILS & SCENE



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-00801**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-31-00801
Wattage	LED 5W
Lumen	400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*150*35mm



**DETAILS & SCENE**



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-00901**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-31-00901
Wattage	LED 5W
Lumen	400lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	150*150*35mm



**DETAILS & SCENE**





**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01001**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-31-01001
Wattage	LED 7W
Lumen	560lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	200*90*35mm

**DETAILS & SCENE**



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01201**

Product Description

CCT: 2700K-6500K


Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-31-01201
Wattage	LED 3W
Lumen	240lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	120*120*30mm

**DETAILS & SCENE**



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01301**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-31-01301
Wattage	LED 3W
Lumen	240lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	85*85*36mm

**DETAILS & SCENE**



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01401**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



UT-31-01401

UT-31-01401

Model	UT-31-01401
Wattage	LED 3W
Lumen	240lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	86*86*30mm

**DETAILS & SCENE**





**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01501**


Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-31-01501	UT-31-01601
Wattage	LED 3W	LED 3W
Lumen	240lm	240lm
IP	65	65
Materials	Aluminum+PC	Aluminum+PC
Dimension(mm)	210*60*52mm	185*40*45mm



**DETAILS & SCENE**



**LED FOOT LIGHT**

CE CB RoHS   BIS



**UT-31-01801**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver

Model	UT-31-01801
Wattage	LED 3W
Lumen	560lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	210*60*55mm



**DETAILS & SCENE**



**LED CEILING LIGHT**



Cooperative brand:



**LED CEILING LIGHT**

CE CB RoHS BIS



**UT-35-00501**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour: Black Grey Silver

Model	UT-35-00501
Wattage	LED 20W
Lumen	1600lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	300*90mm



**DETAILS & SCENE**





**LED CEILING LIGHT**

CE CB RoHS   BIS



**UT-35-00601**

Product Description

CCT: 2700K-6500K

Input: 220-240V 50/60Hz

Colour:     
Black Grey Silver



Model	UT-35-00601
Wattage	LED 20W
Lumen	1600lm
IP	65
Materials	Aluminum+PC
Dimension(mm)	300*300*90mm

**DETAILS & SCENE**

